



## Puente Grúa con Polipasto 5 Tons

### Especificaciones Técnicas


|          |        |  |  |
|----------|--------|--|--|
| Garantía | 3 Year |  |  |
|----------|--------|--|--|








| Model/Modelo              | PWMSST                    |
|---------------------------|---------------------------|
| Capacity                  | 11023 lb / 5000 kg        |
| Speed (per min)           | 2.6 - 16.4 ft / 0.8 - 5 m |
| Traveling Speed (per min) | 16.4 - 65.6 ft / 5 - 20 m |
| Lifting Height            | 19.6 ft / 6 m             |
| Motor Power               | 1 - 6.1kW                 |
| Traveling Motor           | 0.37 kW x2                |
| Duty Class                | M4                        |



| Model/Modelo       | PWLH5T             |
|--------------------|--------------------|
| Capacity           | 11023 lb / 5000 kg |
| Length             | 52 ft / 16 m       |
| Traveling Length   | 85 ft / 26 m       |
| Rail Gage Distance | 55.11 in / 1400 mm |
| Duty Class         | M4                 |



| Model/Modelo  | PWSP5T             |
|---------------|--------------------|
| Capacity      | 11023 lb / 5000 kg |
| Speed         | 65.6 ft / 20 m     |
| Motor Power   | 0.75 kW            |
| Length        | 9.8 ft / 3 m       |
| Gear Diameter | 7.67 in / 195 mm   |
| Duty Class    | M4                 |



Referential Images / Imágenes Referenciales  
Specifications may change without notice / las especificaciones pueden cambiar sin previo aviso