



## Tecle Neumatico 1000 kg - Cadena RUD G80




### Características Esenciales

- 1 Ton Pneumatic Chain Hoist - Heavy Duty - Explosion Proof
- RUD G80 chain made in Germany (Lifting heights upon request)
- Includes: Overload Protection - Slip Clutch / Failsafe Automatic Internal Break / Pendant Control with emergency stop / Chain containers
- Meets and exceeds ASME B30.16 / HST-5 standards / Load Test at 130% SWL / ATEX Directive

**Polipasto neumático de 1 tonelada - Cadena RUD G80 - Protección contra sobrecarga (otras alturas bajo pedido) Incluye botonera colgante con parada de emergencia**

## Especificaciones Técnicas

<b>Capacidad de Carga</b>	1 Ton	<b>Altura de Izaje Estandard (Customizable)</b>	30 ft / 9 m
<b>Numero de Velocidades</b>	1 Speed	<b>Protección Antiexplosión</b>	- EX 2 GD IIA T4 - EX 2 GD IIB T4 - EXCLUDES Hydrogen Disulphide or Ethelene Oxide - ZONES 1, 2 AND 21, 22
<b>Clase de Servicio</b>	100% Duty Cycle	<b>Freno Motor</b>	>125% WLL Automatic self-adjusting multidisc Brake
<b>Control</b>	Pendant Control w/emergency stop	<b>Tipo Transmisión / Reductor</b>	Epicycle Gearbox (Grease Filled and Sealed)
<b>Tipo de Cadena</b>	G80 RUD Germany 5:1 Safety Factor	<b>Dimensiones de la Cadena</b>	7 x 21 mm
<b>Caidas de Cadena</b>	1	<b>Temperatura</b>	-20°C to 70°C
<b>Nivel de Ruido</b>	83 dBA @ 1m	<b>Normas</b>	ASME B30.11 /B30.16 /HST-5 DIN EN818-7 SANS 1638 compliant ATEX EX Classification according to EC Directive on Hazardous Locations 94/9/EEC
<b>Fabricado en</b>	South Africa	<b>Garantía</b>	3 Year
<b>Pendant Control Yes No</b>	Included	<b>IEC Pendant Control Protection</b>	IP66
<b>Pendant Control Emergency Stop</b>	Yes		



Dimensions / Medidas		PWRN 0.5	PWRN 1	PWRN 3	PWRN 5	PWRN 10	PWRN 15	PWRN 20
A	mm	347	504	609	802	888	994	
B	mm	149	102	285	434	417	443	
C	mm	99	174	234	271	267		
D	mm	274	350	451	382	493	474	601
E	mm	23	30	40	53	58	78	
G	mm	143	231	294	505	313		
H	mm	22	30	37	46	51	71	

## Detalles del Empaque

H Altura Muerta	13.66
D Depth	5.62
W Ancho	13.77
J Boca Gancho	0.98

Referential Images / Imágenes Referenciales  
Specifications may change without notice / las especificaciones pueden cambiar sin previo aviso